

HIGH SIERRA CHEMICAL

P.O. BOX 822 CHIPPEWA FALLS, WI 54729-0822 (715)723-4915

NET CONTENTS: 55 U.S. GALLONS


CHLOR-O-FOAM is a heavy duty foaming chlorinated C.I.P cleaner used to clean the exterior of food processing equipment, mixing tanks, the interior of semi trailers, and the interiors and exteriors of transportation and in house processing bins. The clinging foam that is produced will allow maximum exposure time with minimal effort.

DIRECTIONS

Add **CHLOR-O-FOAM** to the soap reservoir of your foam applicator. Set the dilution factor of your applicator to a dilution of 40 parts water to I part **CHLOR-O-FOAM** for light soil loading. A decrease in the dilution factor to 30 parts water to I part **CHLOR-O-FOAM** for a medium to heavy soil load with a minimum dilution factor of 20 parts water to I part **CHLOR-O-FOAM**. Allow a contact time of 8 to 12 minutes then rinse with potable water.

WARNING: CONTAINS POTASSIUM HYDROXIDE & SODIUM HYPOCHLORITE

KEEP OUT OF REACH OF CHILDREN



OVEREXPOSURE & FIRST AID DATA

KEEP OUT OF REACH OF CHILDREN.Before using this product, read all directions, warnings, and the MSDS in its entirety.

DANGER!

This product contains Potassium Hydroxide, Sodium Hypochlorite. MAY CAUSE SEVERE BURNS TO SKIN OR EYES. HARMFUL IF INHALED OR SWALLOWED.

SKIN CONTACT: When this product comes in contact with the skin it may cause severe irritation or tissue damage. If this product comes in contact with the skin; flush exposed area with cold warm water for 15 minutes and consult a physician if tissue damage occurs or irritation persists.

EYE CONTACT: When this product comes in contact with the eyes oy eyelids it may cause severe irritation or damage to the eyes and immediate areas. If this product comes in contact with the eyes, flush with luke warm water for 30 minutes and consult a physician immediately.

INGESTION: When concentrated solutions of this product are swallowed, severe damage to the mucous membranes of the mouth, esophagus, stomach and intestinal tract will occur. **DO NOT INDUCE VOMITING.** Have patient drink large amounts of milk or milk products or water/chalk mixture or plain water. Consult a physician immediately.

INHALATION: Fumes from this product may cause slight irritation of the nose, nasal passages and lungs. Move patient to clean atmosphere and administer oxygen if it is available. Consult a physician immediately.

| HEALTH | - 1 |
|--------------|-----|
| FLAMMABILITY | 0 |
| REACTIVITY | 0 |
| PERSONAL | |

NFPA RATING 0= Non-Hazardous

I = Slight Hazard 2= Hazardous

3= Extreme Hazard 4= Deadly